

KANALIZACJA SANITARNA DWIKOZY SPACEROWA 1.1

NR ODC	Q	D	RZĘDNA	RZĘDNA GŁĘB	DŁUG	SPADEK	RZĘDNA	RZĘDNA GŁĘBOK		
		średnica	ST. POCZDZNA	M	M	PROMIL	ST. KOŃCDNA	STUDNI		
	[m3/s]	[m]						M		
P – S1		0,200	144,26	141,25	3,01	38,2	4,0	144,51	141,40	3,11
S1 – S2		0,200	144,51	141,40	3,11	31,1	4,0	144,45	141,53	2,92
S2 – S3		0,200	144,45	141,53	2,92	22,4	4,0	144,20	141,62	2,58
S3 – S3a		0,200	144,20	141,62	2,58	35,4	4,0	144,40	141,76	2,64
S3a – S4		0,200	144,20	141,76	2,44	42,9	4,0	144,70	141,93	2,77
S4 – S5		0,200	144,70	141,93	2,77	38	4,0	144,40	142,08	2,32
S5 – S6		0,200	144,40	142,08	2,32	23,4	5,0	144,45	142,20	2,25
S6 – S6a		0,200	144,45	142,20	2,25	21	5,0	144,55	142,30	2,25
S6a – S7		0,200	144,55	142,30	2,25	27,1	5,0	144,60	142,44	2,16
S7 – S8		0,200	144,60	142,44	2,16	47,5	10,0	144,80	142,91	1,89
S8 – Si		0,160	144,80	142,91	1,89	9,8	15,0	145,43	143,06	2,37
						336,8				